# APX RADIO ACCESSORIES

## **RESILIENCE WITHOUT COMPROMISE**





## TABLE OF CONTENTS

APX PORTABLE RADIO ACCESSORIES	5
XE500 Remote Speaker Microphones (RSM)	6
Remote Speaker and Active Noise Cancelling Microphones	8
XE RSM Replacement Parts	12
Wireless RSM Accessories and Replacement Parts	12
All RSM Accessories and Replacement Parts	14
CommPort™	18
Ear Microphone System	20
Surveillance Kits	20
Surveillance Kit Accessories and Replacement Parts	26
Surveillance Kit Audio Adapters	27
Headsets	28
3M Peltor Heavy Duty Headsets	30
Headset Replacement Parts	30
Hearing Protection	32
Tactical Solutions	32
Mission Critical (Secure) Wireless Accessories	34
Motorola IMPRES 2 Batteries	38
Motorola IMPRES Batteries	38
Charger Solutions: Single and Multi-Unit	42
Charger Solutions: Vehicular and Travel	44
Charger Solutions: IMPRES Battery Management Tools	46
Carry Solutions	48
Antennas	54
Programming Cables	56

APX MOBILE RADIO ACCESSORIES	57
Long Range Wireless Mobile Accessory Kits	58
Long Range Wireless Accessories and Replacement Parts	58
Mobile Microphones	60
Mobile Microphone Accessories	61
Control Station Accessories	61
Installation and Mounting Accessories	62
External Alarm Accessories	62
Speakers	63
Universal Relay Controller	63
Mobile Siren	64
Siren Accessories	64
Cables	65
Antennas	67
GLOSSARY	70



## **MISSION CRITICAL PERFORMANCE FOCUSED ON DURABILITY AND FLEXIBILITY TO KEEP YOU SAFER**

Motorola P25 APX radios deliver what first responders need to increase their safety and improve their situational awareness. Get the most out of your APX radio by extending its power and reliability with resilient APX accessories. They are the only accessories tested and certified for use with APX radios. Our accessories endure rigorous testing to last longer and help keep you safer. There's simply no substitute for Motorola APX accessories.





APX 8000

APX 8000H

**APX 8000HXE** 

#### **MOTOROLA'S EXCLUSIVE ENERGY AND AUDIO FEATURES ARE MADE FOR MISSION CRITICAL MOMENTS**

#### IMPRES<sup>™</sup>2 ENERGY: YOUR RADIO IS YOUR LIFELINE. IF YOUR **BATTERY DIES, IT JEOPARDIZES EVERYTHING.**

That's why we introduced the IMPRES 2 for APX series radios. It's a next-generation energy system that's safer and smarter, while keeping you powered for even longer. With IMPRES 2 chargers, you can charge batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery.

#### IMPRES AUDIO: I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF.

Motorola's exclusive IMPRES audio accessories help suppress ambient noise, amplify loudness and improve voice intelligibility. IMPRES audio can virtually block out all background noise in any extreme environment with windporting and noise-cancelling technology. Ensure your voice is heard loud and clear no matter what direction you speak with an advanced microphone system. IMPRES audio will make sure you are heard in any demanding environment.









**APX 8000XE** 





APX 7000



**APX 7000XE** 



APX 3000



SRX 2200

#### **DESIGNED FOR THE MISSION. ENGINEERED FOR THE EXTREME.**

APX XE500 Remote Speaker Microphones (RSMs) are designed by firefighters for firefighters. Ergonomic, rugged and reliable, the XE500 RSM is built with the user's extreme environment in mind. Designed to withstand heat exposure of 260°C for up to five minutes and an IP68 submersibility rating, it will perform in extreme conditions. Your lifeline needs to be as tough as your radio. That's why the XE500 RSM is the perfect companion to your APX radio.

## **APX PORTABLE RADIO ACCESSORIES**

Bluetooth LED COMPATIBILITY ACCESSORY FEATURES **XE500 REMOTE SPEAKER MICROPHONES (RSM)** Transmit / Receive LED Volume Toggle PORTABLE RADIOS DESCRIPTION PART NUMBER HAZLOC CAPABLE ΙΡ ΒΔΤΙΙ High Visibility Strobe Light APX 8000H Multi-Mir XE500 High Impact Green, Channel = PMMN4106 75 x 98 x 33 Noise UL Knob, Xtreme Temperature Cable Suppression APX 8000HXE Recessed Push-To-Talk Button APX 8000 Multi-Mic XE500 Black Housing, Channel Knob, Water Resistant Speaker PMMN4106 BLK IP68 UL 75 x 98 x 33 Noise **Xtreme Temperature Cable** Suppression APX 8000XE Programmable Button APX 7000 Multi-Mic XE500 High Impact Green, No Channel PMMN4107 IP68 UL 75 x 98 x 33 Noise Knob, Xtreme Temperature Cable Suppression **APX 7000XE** Field Replaceable Extreme Temperature Cable APX 6000 Multi-Mic XE500 Black Housing, No Channel Knob, PMMN4107 BLK 75 x 98 x 33 Noise IP68 UI Xtreme Temperature Cable **APX 6000XE** Suppression

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

#### ENHANCED CONTROLS DESIGNED FOR THE MISSION

The XE500 RSM is an evolution of the XE RSM platform and like its predecessor was designed with the user's extreme environment in mind. From the exaggerated knobs and controls, that are easy to operate with bulky gloves to the asymmetrical shape that makes it easier to find the controls without looking.



XE500 RSM utilizes 5 integrated microphones and an Adaptive Audio Engine. Similar to the radio, it automatically changes the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.



FLEXIBLE WEARING WEAR IT ANY WAY YOU WANT

The strategic placement of the microphones and enhanced water drainage provide users with the flexibility to wear it straight, upside down and even sideways while still delivering loud and clear audio.



### XE500 RSM KEY FEATURES

- Available With and Without a Channel Knob
- High Visibility Strobe Light
- Adaptive Audio Engine
- IP68, 2 Metres, 4 Hours Submersion
- Heat Resistant Housing and Cable
- Orange Illuminated Emergency Button
- Transmit / Receive LED





#### **EXTREME PERFORMANCE** RUGGED, ROBUST, RELIABLE

Whether you are in the heat of a fire or exposed to extreme weather conditions the XE500 will keep you connected to your team. This RSM was designed to withstand heat exposure of 260°C for up to 5 minutes. Built as a system, the APX 8000XE and the XE500 have been tested to meet IP68 (2 metres, 4 hours) submersibility specifications.

#### **APX<sup>™</sup> XP REMOTE SPEAKER MICROPHONE**

**DUAL MIC NOISE SUPPRESSION** This Remote Speaker Microphone with its thin design and optimized ergonomics is ideal for police officers and other public safety users. With Dual Mic Noise Suppression, you will be heard despite traffic noise and sirens in the background. When it gets dirty, just wash the microphone head to ensure your communication is not compromised.





## **APX PORTABLE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURI	ES								VERTICAL	L MARKETS: R	lecommendatio	ons based on ty	pical use case	for each of vertica	als listed.
REMOTE SPEAK		ES (RSM) Our robust portfolio includes Remot wironments.	e Speaker Micro	phones an	d secondary audio	accessories engineered	to give you	All remo	te speaker mic	rophones are	built with top	quality materia	ıls includir	ng durable	Kevlar® c	ables that	survive to	ough workin	ng conditi
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES AUDIO	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL VOLUME PROGRAMMA BUTTON	BLE DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	SIZE (WITHOUT CLIP) (MM)	POLICE	FIRE	EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	
APX 8000H APX 80000HXE	Ţ	IMPRES XP RSM with Dual Mic Noise Suppression, Volume Control, 1-Programmable Button and Orange Button. Rugged, Submersible (IP68)	NMN6271	•	Dual-Mic Noise Suppression	Step	ý		1		IP68 Rugged	95 x 69 x 27	•			•	•	•	
APX 8000 APX 80000XE APX 7000 APX 7000XE APX 6000	Ţ	IMPRES XP RSM with Dual Mic Noise Suppression, 3.5mm threaded jack, Volume Control, 1-Programmable Button and Orange Button (IP55)	NMN6274	•	Dual-Mic Noise Suppression	Step	ð		1	3.5 mm	IP55	95 x 69 x 27	•			•	•	•	
APX 6000XE APX 3000 APX 2000		XP RSM Replacement Cable with Audio Jack	NKN6610																
SRX 2200		XP RSM Replacement Cable without Audio Jack	NKN6611																

COMPATIBILITY ACCESSORY FEATURES ACTIVE NOISE-CANCELLING (ANC) RSMS Our robust portfolio includes Remote Speaker Microphones and secondary audio accessories engineered to give you clearer communications even in loud environments.

PORTABLE RADIOS DESCRIPTION CHANNEL CONTROI PART NUMBER UGRAMM BUTTON IP RATIN POLICE FIRE APX 8000H NEXUS IMPRES ANC RSM with NEXUS and APX 8000HXE Active Noise-High/ PMMN4102B Yes and IP67 70 x 118 x 32 1 . 3.5mm Jacks (IP67), Black Housing Cancellling Low APX 8000 3.5mm **APX 8000XF** APX 7000 NEXUS IMPRES ANC RSM with NEXUS and APX 7000XF Active Noise-High/ 3.5mm Jacks (IP67), Green and Black PMMN4102BGRN 70 x 118 x 32 Yes 1 and IP67 APX 6000 Cancellling Low Housina 3.5mm APX 6000XE






#### able **Kevlar®** cables that survive tough working conditions.

COMPATIBILITY	ACCESSORY		FEATURES											VERTICAL MARKETS: Recommendations based on typical use case for each of verticals listed.							
REMOTE SPEAKE clearer communicati	R MICROPHONES ( ons even in loud enviro	<b>RSM)</b> Our robust portfolio includes Remote Speaker Microphones and a nments.	secondary audio	accessori	es engineered to	give you	All remo	te speal	ker microp	hones are b	uilt with t	op qualit	ty materia	als including d	urable <b>i</b>	<b>(evlar</b> ® c	ables tha	t survive t	ough workin	g condition	S.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	MICROPHONE NOISE SUPPRESSION	VOLUME CONTROL	ORANGE PROGRAMMABLE BUTTON	DISPLAY	CHANNEL CONTROL	PROGRAMMABLE BUTTON	AUDIO JACK	IP RATING	HAZLOC- CAPABLE <sup>†</sup>	SIZE (WITHOUT CLIP) (MM)	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000H APX 8000HXE APX 8000 APX 8000XE	1	IMPRES Display RSM with Audio Jack, Channel Selector, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4104	•	Windporting	Step	Ý	•	Ņ	2	8-Pin	IP68 Rugged	FM UL	68 x 106 x 31	•	•	•	•	•	•	•
APX 5000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		IMPRES Display RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4103	•	Windporting	Step	Ť	•		2	8-Pin	IP68 Rugged	FM UL	68 x 106 x 31	•	•	•	•	•	•	•
APX 3000 APX 2000 SRX 2200		IMPRES RSM with Audio Jack, Volume Control, 2-Programmable Buttons and Orange Button. Windporting, Rugged, Submersible (IP68)	HMN4101	•	Windporting	Step	Ŵ			2	8-Pin	IP68 Rugged	FM UL	68 x 106 x 31	•	•	•	•	•	•	•
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE		IMPRES RSM Windporting, Rugged (IP68)	PMMN4083	•	Windporting							IP68 Rugged	FM	60 x 78 x 28	•	٠	•	•	•	•	•
APX 7000AE APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200	<b>9</b>  /	IMPRES RSM with 3.5mm Threaded and NON-Threaded Audio Jack and Orange Button. Noise-Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4084	•	Noise- Cancelling						3.5 mm	IP54	FM	60 x 78 x 28	•		•	•	•	•	•
APX 8000H APX 7000 APX 8000HXE APX 7000XE APX 8000 APX 6000 APX 8000XE APX 6000XE APX 2000		IMPRES Windporting RSM with Volume Toggle Switch, Orange Button, 3.5mm NON-Threaded Jack (IP68)	PMMN4099	•	Windporting	High/Low	ě			1	3.5 mm	IP68	UL	60 x 78 x 28	•	•	•	•	•	•	•
SRX 2200		Windporting RSM, Coyote Brown, (IP57)	NNTN8235		Windporting							IP57	FM UL	55 x 60 x 27			•				
	B	Windporting RSM with NON-Threaded 3.5mm Audio Jack, Coyote Brown, (IP54)	NNTN8236		Windporting						3.5 mm	IP54	FM UL	55 x 60 x 27			•				
APX 8000H APX 8000HXE APX 8000 APX 8000XE		IMPRES RSM with NON-Threaded Audio Jack, Orange Button, Noise- Cancelling (IP54) NOT INTENDED FOR FIRE MARKETS	PMMN4062	•	Noise- Cancelling						3.5 mm	IP54	FM UL	60 x 78 x 28	•		•	•	•	•	•
APX 7000 APX 7000XE APX 6000		IMPRES RSM with Volume Toggle Switch, Orange Button and 1-Programmable Button, Windporting (IP57)	PMMN4065	•	Windporting	High/Low	ě			1		IP57	FM UL	60 x 78 x 28	•		•	•	•	•	•
APX 6000XE APX 3000 APX 2000 SRX 2200	<b>9</b> /	IMPRES RSM with NON-Threaded Audio Jack, Windporting (IP55)	PMMN4069	•	Windporting						3.5 mm	IP55	FM UL	60 x 78 x 28	•		•	•	٠	٠	•

1 HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

OMPATIBILITY ACCESSORY		
EMOTE SPEAKER MICROPH	ONE ACCESSORIES AND REPLACEMENT PARTS	
ORTABLE RADIOS DESCRIPTION		PART NUMBER
E RSM REPLACEMENT PART	S	
APX 8000H	Xtreme Temperature Replacement Cable for XE RSM (NNTN8203 and NNTN8575 series)	30009402002
APX 8000HXE		
APX 8000	Xtreme Temperature Replacement Cable for XE500 RSM	30009402004
APX 8000XE	XE RSM Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	NNTN8271
APX 7000XE	XE500 RSM Clip Assembly with brass insert designed to work with the Boston Leather Straps (AY000223A01, AY000229A01) requires Clip Button NNTN8749	PMLN7633 The XE and XE500 RSM clip paired with a clip button allows easy and secure access to your
APX 6000 APX 6000XE	Clip Button	NNTN8749
VIRELESS RSM		
	Wireless RSM with Battery, Clip (RLN6544) and Dual Unit Charger (PMLN7124)	PMLN7255
APX 8000H APX 8000HXE APX 8000 APX 8000XE	Wireless RSM with Battery and Clip. No Charger.	RLN6544
APX 7000 APX 7000XE APX 6000	Dual Unit Charger, rapid rate charger, 120V (ANZ plug 240V)	PMLN7124
APX 6000XE APX 3000 APX 2000	Vehicular Charger	PMLN6716
SRX 2200	Wireless RSM Battery, 1750 mA Li-Ion	PMNN4461



### **APX WIRELESS RSM**

Every feature on this RSM has been purposefully designed. Large, yet recessed push-to-talk and emergency buttons are easy to access and designed to prevent accidental activation. Additional features include a volume control, audio jack and task light that allows you to read items such as a driver's licence in the dark. This RSM features all of the advanced capabilities of Mission Critical Wireless including enhanced security, fast push-to-talk and quick touch pairing with voice prompts that confirm pairing actions. This RSM also features a removable and rechargeable battery. Charge the RSM on the go with the vehicular charger or in the office with the dual-unit desk charger.

COMPATIBILITY	ACCESSORY			FEATURES		
REMOTE SPEAKE	R MICROPHONE ACC	CESSORIES AND REPLACEMENT PAR	TS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	CONNECTOR TYPE	HAZLOC-CAPABLE <sup>†</sup>
	1-	Receive-Only Earpiece with Comfort Eartube, FM and UL approved	RLN4941	Clear Rubber Eartip	3.5mm	FM UL
APX 8000H	5	Receive-Only Earpiece with Comfort Eartube	PMLN7560	Clear Rubber Eartip	3.5mm	
APX 8000HXE	(1)	Receive-Only Earbud, FM and UL approved	AARLN4885	Foam Earbud	3.5mm	FM UL
APX 8000	Ø.	Receive-Only Earpiece, Loud Version. Requires BDN6783 or NMN6274	RLN5313_XL	Clear Rubber Eartip	3.5mm threaded	
APX 8000XE	68	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513			
APX 7000	$\mathcal{O}_{\mathbf{a}}$	Adjustable D-Style Earpiece	PMLN7396	Over-the-Ear	3.5mm	
APX 7000XE	<b>,</b>	D-Shell Rx-Only Earpiece	PMLN4620	Over-the-Ear	3.5mm	FM UL
APX 6000	69	Receive-Only Flexible Earpiece	WADN4190	Over-the-Ear	3.5mm	FM UL
APX 6000XE	Â	Receive and Transmit Boomless Temple Transducer (for HMN4104, HMN4103 and HMN4101 only)	RMN5116	Over-the- Head	8-Pin	FM UL
APX 3000	533	Receive-Only Earpiece with Translucent Tube and Rubber Eartip (for HMN4104, HMN4103 and HMN4101 only)	RLN6424	Clear Rubber Eartip	8-Pin	FM UL
APX 2000		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* (Pack of 50 pairs)	5080384F72	Foam Eartip		
SRX 2200	(a	Replacement Rubber Eartip for RLN6424 (Pack of 25)	5080370E97			
		D Ring Swivel Clip (12 pack). Compatible with all XP RSMs and wireless RSMs	NNTN4990			



### WHICH MICROPHONES ARE 50% LOUDER AND CLEARER?

APX Remote Speaker Microphones deliver audio that is clearer, easier to understand, and up to 50% louder. That's because they have the same speaker found in APX portable radios for the best-in-class accessory audio available.

\* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB. † HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

COMPATIBILITY	ACCESSORY			FEATURES
REMOTE SPEAKE	R MICROPHONE ACCESSORIES	AND REPLACEMENT PART	S	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	CONNECTOR TYPE
APX 8000H APX 8000HXE		Interface Cable, 5-Pin Nexus Female Receptacle for HMN4104, HMN4103 and HMN4101	PMKN4107	5-Pin Nexus Female
APX 8000 APX 8000XE		Interface Cable 4-Pin Nexus Male Plug for HMN4104, HMN4103 and HMN4101	PMKN4112	4-Pin Nexus Male
APX 7000 APX 7000XE APX 6000		Interface Cable, 12-Pin Hirose Male Connector for HMN4104, HMN4103 and HMN4101	PMKN4113	12-Pin Hirose Male
APX 6000XE APX 3000	$\bigtriangledown$	Replacement Coil Cord Kit for HMN4104, 4103 and 4101	3075336B17	
APX 2000 SRX 2200		Replacement Coil Cord Kit for PMMN4062, PMMN4065, PMMN4069, PMMN4083 and PMMN4099.	RLN6075	



#### WHICH MICROPHONE IS RIGHT FOR ME?

#### WINDPORTING AUDIO: I HEAR YOU, NOT THE WIND

If you work outdoors in demanding weather, a Windporting microphone is right for you. It reduces the effects of wind and other sounds whenever you use the microphone. It also prevents water from clogging the microphone for clear transmissions.

#### **NOISE-CANCELLING AUDIO:** I HEAR YOU, NOT THE NOISE

Talking in a crowd or near heavy equipment? A Noise-Cancelling microphone reduces background sounds. To optimize noise reduction, hold the microphone in the correct position directly in front of your mouth, facing the source of the noise.

#### **DUAL MIC NOISE SUPPRESSION:** I HEAR YOU, EVEN WHEN YOU CAN'T HEAR YOURSELF

Virtually blocks out all background noise in demanding and extreme noise environments so you can always communicate clearly.



#### HOW DOES COMMPORT<sup>™</sup> WORK?

The miniature microphone and receiver connect to your APX radio and fasten securely and comfortably to your ear. Unlike bone conduction or boom mic technology, the CommPort System picks up sound waves as they cross the face so you hear and can be heard virtually in any environment.

## **APX PORTABLE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES		
	egrated microphone/receiv I you, from traffic noise to c	ver lets you talk discreetly and hear clear other responders.	y and still be aware			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	<b>``</b>	Integrated Ear Microphone/Receiver System with Palm PTT (Includes adapter BDN6783)	RLN6480	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Palm
APX 8000H APX 8000HXE APX 8000 APX 8000XE	-	Integrated Ear Microphone/Receiver System with PTT on Adapter (Includes adapter BDN6783)	RLN6482	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	On Adapter
APX 7000 APX 7000 APX 6000 APX 6000XE	<b>```</b> ***	Integrated Ear Microphone/Receiver System with Snap-On-Side PTT (Includes adapter BDN6783)	RLN6481	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Side
APX 3000 APX 2000 SRX 2200	<b>~</b> ~~	Integrated Ear Microphone/Receiver System with Ring PTT (Includes adapter BDN6783)	RLN6483	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Ring
		Integrated Ear Microphone/Receiver System with Body PTT (Includes adapter BDN6783)	RLN6484	Over-the-Ear, Clear Silicone Eartube	On Earpiece, Above Ear	Body

COMPATIBILITY	ACCESSORY	
<b>COMMPORT</b> <sup>™</sup>		
PORTABLE RADIOS	DESCRIPTION	
APX 8000H	6	Replacement Palm PTT for RLN6480
APX 8000HXE		Replacement Cable for RLN6481
APX 8000	e la	Replacement Snap-On-Side PTT for RLN6482
APX 8000XE		Replacement Ring PTT for RLN6483
APX 7000	<b>\$</b>	Replacement Remote Body PTT for RLN6484
APX 7000XE APX 6000		Ear Microphone Assembly
APX 6000XE	<	CommPort Maintenance Kit (Includes 10 replacement ear tubes, 10 microphone seals and 2 windscreens)
APX 4000	and the second sec	Ear Straps for secure attachment to ear (pack of 10)
APX 3000	$\checkmark$	Replacement Ear Tubes (pack of 10)
SRX 2200		Replacement Collar Clip



NKN6510

NKN6508

NKN6525

NKN6512

NNTN4188

NTN8819

NTN8821

NTN8988

RLN5037

4285838B01



COMPATIBILITY	ACCESSORY			FEATURES						VERTICAL	MARKETS: F
EAR MICROPHO	NE SYSTEM										
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC- CAPABLE <sup>†</sup>	POLICE	FIRE / E
APX 8000H APX 8000HXE	Sip	IMPRES Ear Microphone with Bone Conduction and programmable button, black	PMLN5653	•	In-Ear Mic	In-Ear Mic	Large, Ring-guarded, Recessed	Ø	FM APPROVED FOR APX 7000, APX 7000XE, APX 6000, APX 6000XE	•	
APX 8000 APX 8000XE APX 7000	R	Earguard with Adjustable Loop	0180300E25	AUD	N DOES IMPI DIO PERFORM ES enhances the o		Tet.				
APX 7000XE APX 6000 APX 6000XE APX 4000	ß	Earholder, Black, Small	0180358B32	qualit reduc voice or noi	ty of Motorola acc cing ambient noise intelligibility. If yo rmally, but not dire ophone, IMPRES A	essories by and improving u speak quietly ectly into a					
APX 3000 SRX 2200	G	Earholder, Clear, Large	0180358B37	chang adjus listen	ges in your voice a ts the transmitted er won't have to a d down.	nd automatically volume so your				-	

COMPATIBILITY	ACCESSORY			FEATURES						VERTICAL M	ARKETS: Recomm	endations based o	n typical use case	e for each of vertical	s listed.	
SURVEILLANCE cables that withsta	<b>KITS</b> Transmit and re and tough conditions. A	ceive discreetly with a variety of surveillan quick-disconnect, durable and comfortable	ce kits that feature a e translucent tube en	streamlined de ables easy sha	esign and rugged aring between shifts.		Two-wire kits ha Three-wire kits f	ve one wire for receiving tr eature separate wires for r	ansmissions and one wir eceiving transmissions, p	e with a comb ush-to-talk an	ned microphon d microphone.	e and push-to-	talk.			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC- CAPABLE <sup>†</sup>	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000H APX 8000HXE	D	1-Wire Receive-only Earpiece, Black	PMLN6125	•	Ear Hanger				FM UL	•		•	•			
APX 8000 APX 7000 APX 7000XE	10	1-Wire Receive-only Earpiece, Beige	PMLN6126	•	Ear Hanger				FM UL	•		•	•			
APX 6000 APX 6000XE APX 3000		IMPRES 2-Wire Surveillance Kit, Programmable Button, Black	PMLN6127	•	Ear Hanger	Ť	<b>*</b>		FM UL	•		•	•			
APX 2000 SRX 2200		IMPRES 2-Wire Surveillance Kit, Programmable Button, Beige	PMLN6128	•	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	1	FM UL	•		•	•			

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.



COMPATIBILITY	ACCESSORY			FEATURES						VERTICAL	MARKETS: Recomme	endations based or	n typical use case	for each of verticals	listed.	
SURVEILLANCE																
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	EARPIECE TYPE	MICROPHONE	PTT	PROGRAMMABLE BUTTON	HAZLOC-CAPABLE <sup>†</sup>	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATION
APX 8000H APX 8000HXE APX 8000 APX 7000 APX 7000XE	$\bigcirc$	IMPRES 2-Wire Surveillance Kit with Translucent Tube, Programmable Button, Black	PMLN6129	•	Clear Rubber Eartip	Ť	<b>y</b> ^	1	FM UL	•		•	•			
APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200	Z	IMPRES 2-Wire Surveillance Kit with Translucent Tube, Programmable Button, Beige	PMLN6130	•	Clear Rubber Eartip	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	1	FM UL	•		•	•			
APX 8000H	-08	IMPRES 3-Wire Surveillance Kit with Translucent Tube, Programmable Button, Black	PMLN6123	•	Clear Rubber Eartip		100		FM UL	•		•	•			
APX 8000HXE APX 8000	6	IMPRES 3-Wire Surveillance Kit with Translucent Tube, Programmable Button, Beige	PMLN6124	•	Clear Rubber Eartip	Separate Wire	Separate Wire		FM UL	•		•	•			
APX 8000XE APX 7000	09	2-Wire Surveillance Kit, with Extra Loud Earpiece, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6038		Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire			•		٠	•			
APX 7000XE APX 6000	Ż	3-Wire Surveillance Kit, Beige, Hirose Connector. Requires NNTN7869 Hirose Adapter	ZMN6031		Ear Hanger	Separate Wire	Separate Wire			•		•	•			
APX 6000XE APX 3000	05	1-Wire Receive-Only Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6726		Ear Hanger				FM UL	•		•	•			
APX 2000 SRX 2200	Ì	1-Wire Receive-Only Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6727		Ear Hanger				FM UL	•		•	•			

t HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

COMPATIBILITY SURVEILLANCE	ACCESSORY KITS							VERTICAL	MARKETS: Recon	nmendations based	l on typical use ca	se for each of vert	icals listed.
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	РП	HAZLOC-CAPABLE <sup>1</sup>	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	
APX 8000H	(I)	1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783.	RLN5313	Clear Rubber Eartip			UL	•		•	•		
APX 8000HXE	<b>2</b> .	1-Wire Receive-Only Surveillance Kit with Translucent Tube, Black, Loud version, 3.5mm Threaded. Requires BDN6783 or NMN6274.	RLN5313_XL	Clear Rubber Eartip				•		•	•		
APX 8000 APX 8000XE	<i>9</i>	2-Wire Surveillance Kit with Translucent Tube, Black, 3.5mm Threaded. Requires BDN6783.	RLN5312	Clear Rubber Eartip	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire		•		•	•		
APX 7000		2-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6729	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	FM UL	•		•	•		
APX 7000XE	6	2-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6669	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	FM UL	•		•	•		
APX 6000		2-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6731	Ear Hanger	Mic and PTT Combined on a Single Wire	Mic and PTT Combined on a Single Wire	FM UL	•		•	•		
APX 6000XE		3-Wire Surveillance Kit with Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6668	Ear Hanger	Separate Wire	Separate Wire	FM UL	•		•	•		
APX 3000 APX 2000	A.	3-Wire Surveillance Kit with Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6730	Ear Hanger	Separate Wire	Separate Wire	FM UL	•		•	•		
SRX 2200	Cor	3-Wire Surveillance Kit with Extra-Loud Earpiece, Beige, 3.5mm Threaded. Requires BDN6783.	BDN6670	Ear Hanger	Separate Wire	Separate Wire	FM UL	•		•	•		
		3-Wire Surveillance Kit with Extra-Loud Earpiece, Black, 3.5mm Threaded. Requires BDN6783.	BDN6732	Ear Hanger	Separate Wire	Separate Wire	FM UL	•		•	٠		

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

S AND TRANSPORTATION



OMPATIBILITY	ACCESSORY			FEATURES	
URVEILLANCE I	KIT ACCESSORIES AN	ID REPLACEMENT PARTS			
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	COMPATIBLE SURVEILLANCE KITS
	2	Completely Discreet Earpiece Kit with Neckloop, Beige, Includes GMLN5261, RLN4920 and RNN4005	PMLN7696		
APX 8000H	Þ	Phonak Nano Ear Receiver, Beige (Neckloop must be ordered separately)	GMLN5261		
APX 8000HXE	D	Phonak Nano Ear Receiver, Brown (Neckloop must be ordered separately)	GMLN5262		
		Replacement Earwax Guards. 5 per pack. Compatible with PMLN7696	RLN4919		
APX 8000XE	6	Optional Retention Hooks, Pack of 10	NNTN8457		
APX 7000	$\bigcirc$	Phonak Inductive Neckloop Included in the PMILN7696	RLN4920		
APX 7000XE		1.4 Volt Battery – Pack of 6	RNN4005		
		Low Noise Kit with Quick Disconnect Translucent Tube and Clear Rubber Eartip	RLN6242	Clear Rubber Eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
APX 6000	A D	Replacement Standard Clear Rubber Eartip, Pack of 50	RLN6282	Clear Rubber Eartip	PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128, PMLN6129, PMLN6130
APX 6000XE		Replacement Foam Plugs for RLN5887 and RLN6242. Noise reduction = 25dB.* Pack of 50 pairs.	5080384F72	Foam Eartip	PMLN6123, PMLN6124, PMLN6129, PMLN6130
APX 3000	\$	Low Noise Kit with 1 Clear Rubber Eartip	RLN5886	Clear Rubber Eartip	RLN5882, RLN5883, PMLN5111, PMLN5112,
	15	High Noise Kit* with 2 Foam Earplugs	RLN5887	Foam Eartip	PMLN6125, PMLN6126
APX 2000	<b>()</b>	Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6511	Comply™Foam Eartip	RLN5882, RLN5883,
SRX 2200		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6512	Comply <sup>™</sup> Foam Eartip	PMLN5111, PMLN5112, PMLN6123, PMLN6124, PMLN6125, PMLN6126, PMLN6127, PMLN6128,
	0	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs Noise reduction = 28dB	RLN6513	Comply <sup>™</sup> Foam Eartip	PMLN6129, PMLN6130

\* For High Noise Kit solution - combine RLN6242 Low Noise Kit with translucent tube and clear rubber eartip and RLN6281 Replacement Foam Plugs for RLN6242. Noise reduction = 25dB.



COMPATIBILITY	ACCESSORY			FEATURES
SURVEILLANCE K	IT ACCESSORIES AN	D REPLACEMENT PARTS		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE
	ð	Small Clear Comfortable Earpiece, Right Ear	RLN4760	Clear comfortable earpiece
APX 8000H APX 8000HXE	Ð	Medium Clear Comfortable Earpiece, Right Ear	RLN4761	Clear comfortable earpiece
APX 8000 APX 8000XE APX 7000 APX 7000XE	ð	Large Clear Comfortable Earpiece, Right Ear	RLN4762	Clear comfortable earpiece
APX 6000L APX 6000 APX 6000XE APX 3000	Č	Small Clear Comfortable Earpiece, Left Ear	RLN4763	Clear comfortable earpiece
APX 2000 SRX 2200	C.	Medium Clear Comfortable Earpiece, Left Ear	RLN4764	Clear comfortable earpiece
	6	Large Clear Comfortable Earpiece, Left Ear	RLN4765	Clear comfortable earpiece
SURVEILLANCE K	IT AUDIO ADAPTERS			
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE	ľ	3.5mm Threaded Audio Adapter	BDN6783†	UL Approved: BDN6667, BDN6668, BDN6669, BDN6728, BDN6729, BDN6730, BDN6731, BDN6670 Other: BDN6664, BDN6665, BDN6666, BDN6726, BDN6727, BDN6732
APX 6000 APX 6000XE APX 4000 APX 3000 SRX 2200		6 Pin Hirose Keyload and Audio Adapter, FM/IS rated	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039

IT ACCESSORIES AN	ID REPLACEMENT PARTS		
DESCRIPTION		PART NUMBER	EARPIECE TYPE
Ŋ	Small Clear Comfortable Earpiece, Right Ear	RLN4760	Clear comfortable earpiece
Ð	Medium Clear Comfortable Earpiece, Right Ear	RLN4761	Clear comfortable earpiece
ð	Large Clear Comfortable Earpiece, Right Ear	RLN4762	Clear comfortable earpiece
(	Small Clear Comfortable Earpiece, Left Ear	RLN4763	Clear comfortable earpiece
C.	Medium Clear Comfortable Earpiece, Left Ear	RLN4764	Clear comfortable earpiece
6	Large Clear Comfortable Earpiece, Left Ear	RLN4765	Clear comfortable earpiece
IT AUDIO ADAPTER	5		
ľ	3.5mm Threaded Audio Adapter	BDN6783†	UL Approved: BDN6667, BDN6668, BDN6669, BDN6728, BDN6729, BDN6730, BDN6731, BDN6670 Other: BDN6664, BDN6665, BDN6666, BDN6726, BDN6727, BDN6732
-	6 Pin Hirose Keyload and Audio Adapter, FM/IS rated	NNTN7869	ZMN6031, ZMN6032, ZMN6038, ZMN6039
	DESCRIPTION   DESCRIPTION	Number of the service of the servic	DESCRIPTION PART NUMBER   Image: Small Clear Comfortable Earpiece, Right Ear RLN4760   Image: Right Ear Medium Clear Comfortable Earpiece, Right Ear RLN4761   Image: Right Ear Large Clear Comfortable Earpiece, Right Ear RLN4762   Image: Right Ear Small Clear Comfortable Earpiece, Right Ear RLN4762   Image: Right Ear Small Clear Comfortable Earpiece, Right Ear RLN4763   Image: Right Ear Small Clear Comfortable Earpiece, Left Ear RLN4763   Image: Right Ear Medium Clear Comfortable Earpiece, Left Ear RLN4764   Image: Right Ear Large Clear Comfortable Earpiece, Left Ear RLN4765   Image: Right Ear Samm Threaded Audio Adapter BDN6783'   Image: Right Ear 6 Pin Hirose Keyload and Audio Adapter, NNTIN72669 NNTIN72669

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

FE/	١TU	RES	



## **XBT HEAVY-DUTY WIRELESS HEADSET IN USE**

It's the middle of a shift and with machinery running at full speed, your workplace is a noisy place to be. You need to communicate on your radio while still being aware of everything around you. XBT heavy-duty headsets connect wirelessly to your radio, suppressing noise for clearer communications. With patented SENS™ situational awareness technology, these headsets ensure you'll hear critical communications from co-workers in the field with you.

#### -

COMPATIBILITY HEADSETS	ACCESSORY			FEATURES	_	_	_	_	_	_	_	VERTICAL N	MARKETS: Recomm	endations based o	in typical use case	e for each of vertical	s listed.	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	MICROPHONE	РΠ	HAZLOC-CAPABLE <sup>†</sup>	WEIGHT	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTATIO
	R	IMPRES Temple Transducer with Boom Microphone and In-line Push-To-Talk Replacement Rubber Temple Cover (1 Pair) 7580384M19	PMLN5101	•	Behind- the-Head	Bone Conduction		Boom	In-line	FM UL	Lightweight	•		•		•	•	•
APX 8000H APX 8000HXE	<b>N</b>	Earset D-Shell	PMLN5096		Over- the-Ear	Single-Ear		Boom	In-line	UL	Lightweight							•
APX 8000 APX 8000XE APX 7000		Ultra Lite Headset	PMLN5102		Over- the-Head	Single-Ear		Boom	In-line	UL	Lightweight							•
APX 7000XE APX 6000 APX 6000XE	Ω	Heavy-Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB	PMLN6852		Behind- the-Head	Dual-Ear	•	Boom	On Ear Cup		Heavy-Duty					•	•	•
APX 3000AE APX 3000 APX 2000	3	Heavy-Duty Behind-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB	PMLN6853		Behind- the-Head	Dual-Ear	•	Boom	On Ear Cup	UL	Heavy-Duty					•	•	•
SRX 2200	0	Heavy-Duty Over-the-Head Headset with Noise-Cancelling boom Microphone, Noise Reduction = 24dB	PMLN7466		Over- the-Head	Dual-Ear	•	Boom	On Ear Cup		Heavy-Duty					•	•	•
		Heavy-Duty Over-the-Head Headset with Noise-Cancelling Boom Microphone, Noise Reduction = 24dB	PMLN7467		Over- the-Head	Dual-Ear	•	Boom	On Ear Cup	UL	Heavy-Duty					•	•	•
APX 7000 APX 7000 APX 7000XE APX 7000XE APX 6000 APX 6000XE APX 2000 SRX 2200		Lightweight Over-the-Head Headset Single Muff with in-Line Push-To-Talk & Boom Mic REX4648 - Replacement Foam Earpad and Microphone Cover Kit	RMN5058		Over- the-Head	Single-Ear		Boom	In-line	FM UL	Lightweight			•		•	•	•
PX 8000H PX 8000HXE PX 8000 PX 8000 APX 8000 APX 3000		XBT Operations Critical Wireless Behind-the-Neck Headset	RLN6490		Behind-the- Neck	Dual-Ear	•	Boom	Radio, Headset or Wireless PTT Pod		Heavy-Duty					•		•
PX 8000XE PX 7000 PX 7000 SRX 2200 PX 7000XE	8	XBT Operations Critical Wireless Headband Style Headset	RLN6491		Over- the-Head	Dual-Ear	•	Boom	Radio, Headset or Wireless PTT Pod		Heavy-Duty					•		•

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

COMPATIBILITY	ACCESSORY				FEATURES						
<b>3M PELTOR HEAV</b>	Y DUTY HEADSETS										
PORTABLE RADIOS	DESCRIPTION AND ADAPTE	R TYPE	PART NUMBER	PELTOR PART NUMBER	HEADSET TYPE	CONNECTOR TYPE	SPEAKER	NOISE REDUCTION RATING (NRR)	NOISE- CANCELLING MICROPHONE	PTT (APX)	hazloc- capable†
PTT ADAPTER CO	NFIGURATIONS										
APX 8000H APX 8000HXE		TacticalPro Series Over-the-Head Headset with Nexus Connector	RMN4052	MT15H7A-34	Over-the-Head	Nexus	Dual-Ear	26dB	Boom	Requires PTT Adapter PMLN6095	
APX 8000 APX 8000XE APX 7000	0,0	TacticalPro Series Neckband Headset with Nexus Connector	RMN5135	MT15H7B-07-34	Neckband	Nexus	Dual-Ear	25dB	Boom	Requires PTT Adapter PMLN6095	
APX 7000XE APX 6000 APX 6000XE	03-	TacticalPro Series Hard Hat Attached with Nexus Connector	RMN4053	MT15H7P3E-34	Hard Hat Attached	Nexus	Dual-Ear	22dB	Boom	Requires PTT Adapter PMLN6095	
APX 3000 APX 2000 SRX 2200	•	PTT Nexus Adapter	PMLN6095	FL5063-34							

COMPATIBILITY	ACCESSORY			
HEADSET REPLAC	EMENT PARTS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	PELTOR PART NUMBER
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE		Earmuff Hygiene Kit Black Earseals	RLN4923	HY79
APX 7000AE APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200		Boom Microphone Wind Screen	RLN6543	M40/1

1 HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.



COMPATIBILITY	ACCESSORY			FEATURES				VERTICAL M	ARKETS: Recommend	ations based on typica	l use case for each of	verticals listed.	
HEARING PROT	ECTION												
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	HEADSET TYPE	SPEAKER	NOISE-CANCELLING / NOISE-REDUCTION	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING
APX 8000H APX 8000HXE APX 8000 APX 8000XE		Clear EP7-Small Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6511		Comply™ Foam Ear tip		Noise-Reduction					•	•
APX 7000 APX 7000XE APX 6000		Clear EP7-Medium Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6512		Comply™ Foam Ear tip		Noise-Reduction					•	•
APX 6000XE APX 3000 APX 2000 SRX 2200	O	Clear EP7-Large Hearing Protectors [Sonic Defenders] Ultra Earplugs, noise reduction = 28dB	RLN6513		Comply™ Foam Ear tip		Noise-Reduction					•	•
TACTICAL SOLU	ITIONS												
APX 8000H	<u>ی ک</u>	Tactical PTT/VOX Interface Module	PMLN6765					•	•	•	•	•	
APX 8000HXE	9 - D	Tactical PTT-Only Interface Module	PMLN6827					•	•	•	•	•	
APX 8000 APX 8000XE	O SE	Tactical Boomless Temple Transducer Requires Interface Module PMLN6765 or PMLN6827.	PMLN6766		Over- the-Head	Bone Conduction	Noise-Cancelling	•		•	•	•	
APX 7000	90	Tactical Throat Microphone Requires Interface Module PMLN6765 or PMLN6827.	PMLN6828		Neckband	Earbud	Noise-Cancelling	•		•	•	•	
APX 7000XE APX 6000	$\bigcirc$	Tactical Ear Microphone Requires Interface Module PMLN6765 or PMLN6827.	PMLN6829		In-Ear	In-Ear	Noise-Cancelling	•	•			•	
APX 6000XE	J. M.	Tactical Temple Transducer / Boom Mic Requires Interface Module PMLN6765 or PMLN6827.	PMLN6833		Over- the-Head	Bone Conduction	Noise-Cancelling	•			•	•	
APX 3000 APX 2000	e>	Tactical Remote Body PTT For use with Interface Module PMLN6765 or PMLN6827.	PMLN6767					•	•	•	•	•	
SRX 2200	R	Tactical Remote Ring PTT For use with Interface Module PMLN6765 or PMLN6827.	PMLN6830						•		•		

#### WHAT ARE THE EP7 SONIC DEFENDERS ULTRA EARPLUGS?

#### RLN6511, RLN6512, RLN6513

TRANSPORTATION

•

•

The EP7 Sonic Defenders Ultra Earplugs provide extra comfort and/or noise protection for users wearing surveillance accessories or users wearing heavy duty headsets / helmets. With a foam-tipped stem design and soft memoryfoam Comply<sup>™</sup> Canal Tips, these comfortable earplugs protect your hearing without blocking your ability to hear routine sounds or conversations. Safe sounds are allowed to pass through into the ear canal, while potentially harmful noises (above 85dB) are reduced through a filter.

Filter caps are included and can be inserted for additional hearing protection or removed for use with surveillance kits.\* With a patented EarLock<sup>®</sup> technology to hold them in place, all-day comfort, and a low-profile design, these earplugs can be worn while wearing a helmet or mask, or while using a phone or heavy duty headset. Lanyard is included in each earplug kit.

\*EP7 earpiece will not provide full 28dB Noise Reduction when the noise-reducing filter is removed.

Motorola's Tactical Solution offers a high performance interface enhanced by high speed DSP (Digital Signal Processor) which only detects the human voice.

Providing steady and trouble free transmission without clipping your message even in the noisiest environments.

Combined with various headsets assures efficient and safer operation in a variety of work environments.

## HOW DO MISSION CRITICAL WIRELESS ACCESSORIES HELP ME?

They free you from being physically connected to the radio and are ideal for surveillance operations. They look CONSUMER, but are mission critical in performance and provide exceptional flexibility, high security, superior audio performance and a new dimension of freedom. Carry your radio in a backpack, bag or purse without being constrained by wires. YOUR RADIO, UNLEASHED.



## **APX PORTABLE RADIO ACCESSORIES**

tay connecte	d within 10 metres.						TALK TIME	CHARGE			RANGE		_							
BLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT	(HOURS) 5/5/90 DUTY CYCLE	CHARGE TIME (HOURS)	WEIGHT (GRAMS)	SIZE (MM)	(FEET LINE OF SIGHT)	IP RATING	HAZLOC- CAPABLE <sup>†</sup>	POLICE	FIRE / EMS	MILITARY	FEDERAL AGENCIES	UTILITIES AND PUBLIC WORKS	OIL, GAS AND MINING	TRANSPORTA
PX 8000H PX 8000HXE PX 8000		Mission Critical Wireless Earpiece with 12" Cable and Push-To-Talk Pod	PMLN6053 + NTN2572	Over-the-Ear (CommPort™)	Directional, above the Earpiece	•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•		•
PX 8000XE PX 7000 PX 7000XE PX 6000 PX 6000XE		Mission Critical Wireless Push-To-Talk Pod (includes ANZ charger)	PMLN6053			•	10	3	43	70 x 41 x 25	30	IP54	FM	•	•	•	•	•		•
PX 3000 PX 2000 RX 2200		Mission Critical Wireless Remote Control Keyfob with Programmable Buttons (includes ANZ charger)	APMLN6233			•	10	3	26	67 x 32 x 16	30	IP54		•			•			

+ HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

COMPATIBILITY	ACCESSORY			FEATURES		
MISSION CRITIC and stay connected		ACCESSORIES This portfolio is a game cl	nanger, giving you t	the flexibility to remov	e the radio from you	r belt
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
APX 8000H		Single-wire Surveillance Kit With Quick Disconnect Translucent Tube for Wireless Push-to-Talk Pod	PMLN7052	Clear Rubber Eartip	In-line	On Pod, ordered separately
APX 8000HXE		Single-wire Earbud with 11.5" Cable for Wireless Push-to-Talk Pod, Black	NNTN8294	Earbud	In-line	On Pod, ordered separately
APX 8000 APX 8000XE		Single-wire Earbud with 45" Cable for Wireless Push-to-Talk Pod, Black	NNTN8295	Earbud	In-line	On Pod, ordered separately
APX 7000	55	Covert Audio Kit for Mission Critical Wireless PTT Pod	NNTN8296	1 Earbud and 2 Earbud Headsets	In-line	On Pod, ordered separately
APX 7000XE APX 6000	0	Y-Adapter and Retention Hook for Mission Critical Wireless Push-to-Talk Pod	NNTN8385		Directional, on Separate Wire	On Pod, ordered separately
APX 6000XE		Neckloop for Discreet Earpiece Kit	RLN4920			
APX 3000 APX 2000		Commercial 3.5mm Earbud Headset Adapter, 10 per pack for Mission Critical Wireless PTT Pod	NNTN8737			
SRX 2200	5	Wireless Earpiece Cable, 12 inch for Mission Critical Wireless PTT Pod	NTN2572	Over-the-Ear (CommPort™)	Directional above the Ear CommPort	On Pod, ordered separately

				FFATUREO		
COMPATIBILITY MISSION CRITIC	ACCESSORY	ACCESSORIES This portfolio is a game of	hanger giving you t	FEATURES	e the radio from your b	alt
and stay connected	within 10 metres.		,nanger, giving you t			511
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	EARPIECE TYPE	MICROPHONE	PTT
	(c)	Wireless Earpiece Maintenance Kit with 10 Silicone Ear Tubes, 10 Microphone Seal Strips and 2 Foam Windscreens for NTN2572 Over-the-Ear Earpiece	NTN8821	Over-the-Ear (CommPort <sup>∞</sup> )		
APX 8000H						
APX 8000HXE	and the second sec	Ear Strap for CommPort <sup>™</sup> Earpiece to Secure Earpiece to Ear (10 per pack)	NTN8988	Over-the-Ear (CommPort™)		
APX 8000						
APX 8000XE	50	Eartubes for CommPort <sup>™</sup> Earpiece	RLN5037	Over-the-Ear		
APX 7000		(10 per pack)	HENOCO	(CommPort™)		
APX 7000XE						
APX 6000		Replacement Ear Tips Kit for Wireless Ear Buds (20 Small, 20 Medium, 20 Large and	NNTN8361	Earbud		
APX 6000XE		10 Clips)				
APX 3000						
APX 2000		Replacement Swivel Clip for Wireless PTT Pod	PMLN6246			
SRX 2200						
		Replacement or Spare Micro-USB Plug-In Charger (ANZ plug)	PS000042A14			

MPATIBILITY	ACCESSORY			FEATURES						
OTOROLA IMP	RES 2 BATTERIES	S								
RTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MILLIMETRES) (H x W x D)	WEIGHT (MAX. GRAMS)	HAZLOC-CAPABLE <sup>‡</sup>	IP RATING
		IMPRES 2 Li-Ion 2550 mAh Battery, IP68 Rugged	PMNN4485	•	Li-Ion	2550	86 x 59 x 37	150		IP68 Rugged
APX 8000 APX 7000 APX 7000XE		IMPRES 2 Li-Ion 3400 mAh Battery, IP68 Rugged	PMNN4486	•	Li-Ion	3400	86 x 59 x 42	185		IP68 Rugged
APX 6000 APX 6000XE SRX 2200		IMPRES 2 Li-Ion 4850 mAh Battery, IP68 Rugged, -30°C Rated	PMNN4487	•	Li-Ion	4850	130 x 59 x 42	320		IP68 Rugged
		IMPRES 2 Li-Ion 5100 mAh Battery, IP68 Rugged	PMNN4494	•	Li-Ion	5100	130 x 59 x 42	320		IP68 Rugged
APX 8000H APX 8000HXE APX 6000	1	IMPRES 2 Li-lon 4600 mAh battery IP68 Rugged	PMNN4573	•	Li-lon	4600	130 x 59 x 42	315	UL	IP68 Rugged
APX 6000 APX 6000XE SRX 2200		IMPRES 2 Li-Ion 3100 mAh Battery, IP68 Rugged	PMNN4547	•	Li-Ion	3100	86 x 59 x 45	200	UL	IP68 Rugged
APX 8000XE		IMPRES 2 Li-Ion 3400 mAh Battery, IP68 Rugged	PMNN4504	•	Li-Ion	3400	86 x 59 x 42	185	Div 2	IP68 Rugged
AFA OUUUAE		IMPRES 2 Li-Ion 4850 mAh Battery, IP68 Rugged, -30°C Rated	PMNN4505	•	Li-lon	4850	130 x 59 x 42	320	Div 2	IP68 Rugged

APX 7000		IMPRES Li-lon 2350 mAh Battery, IP68 Rugged	NNTN8092	•	Li-lon	2350	86 x 59 x 42	160	FM	IP68 Rugged
APX 7000XE APX 6000 APX 6000XE		IMPRES Li-lon 4300 mAh Battery IP68 Rugged	NNTN7033	•	Li-lon	4300	130 x 59 x 42	285	FM	IP68 Rugged
SRX 2200	1	IMPRES NiMH 2300 mAh Battery, IP67	NNTN7037	•	NiMH	2300	136 x 59 x 40	335		IP67
									eile. For more information on	

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FMor UL-approved APX portable. With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage. And manage power more intelligently with enhanced diagnostics, so you get the most from each battery. IMPRES 2 batteries have been improved inside and out, so your team can tackle whatever the day brings. With higher capacity, you'll get more talk time. With better water resistance, you'll never think twice about submersion. And with the ability to charge up to 60% more times than standard Lithium Ion batteries, you'll reduce costs.



#### **IMPRES 2 – A NEW GENERATION. COMPLETELY RE-ENERGIZED.**

COMPATIBILITY	ACCESSORY			FEATURES						
<b>MOTOROLA IMP</b> APX batteries are P	<b>RES BATTERIES</b> Throven Tough, in lab test	ne only batteries developed, tested and certific st after lab test, to withstand shocks, knocks, d	ed for optimal perfo rops and shakes a	ormance with yo nd outperform t	our APX radio. the other brands.					
ORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	TYPICAL RATED CAPACITY (mAh)	DIMENSIONS (MILLIMETRES) (H x W x D)	WEIGHT (MAX. GRAMS)	HAZLOC-CAPABLE <sup>†</sup>	IP RATING
APX 7000 APX 7000XE		IMPRES NiMH 2200 mAh Battery IP68 Rugged	NNTN7035	•	NiMH	2200	136 x 59 x 40	335	FM	IP68 Rugged
APX 6000 APX 6000XE SRX 2200		APX Clamshell Battery Pack, IP57 Requires 12 AA Alkaline batteries (not included).	PMNN4439		AA Alkaline/ Li-lon	Alkaline: 2700 Li-lon: 6100	165 x 60 x 60	Alkaline: 476 Li-Ion: 380		IP57
SRX 2200		Military, Li-Ion 3100 mAh, Battery IP68 Rugged, Coyote Brown	NNTN8182		Li-Ion	3100	86 x 59 x 42	185		IP68 Rugged
		IMPRES Li-Ion 2000 mAh Slim Battery, IP67	NNTN8128	•	Li-Ion	2000	115 x 52 x 18	160		IP67
APX 3000 APX 2000		IMPRES Li-Ion 2350 mAh Battery, IP67	PMNN4424	•	Li-Ion	2350	115 x 52 x 23	170		IP67
		IMPRES Li-Ion 2800 mAh Battery, IP67	PMNN4448	•	Li-Ion	2800	115 x 52 x 23	170		IP67
APX 3000		IMPRES Hi-Cap Li-Ion 2500 mAh Battery, IP57	NNTN8560	•	Li-Ion	2500	113 x 52 x 23	195	UL	IP57
APX 2000		IMPRES Li-Ion 2350 mAh Battery, IP67	NNTN8129	•	Li-Ion	2350	115 x 52 x 23	170	FM	IP67
APX 3000		IMPRES Li-Ion 1300 mAh Slim Battery, IP67	NNTN8305	•	Li-Ion	1300	115 x 52 x 14	98		IP67

+ HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.



## **INCREASED CAPACITY**



### **DURABLE DESIGN**

TACKLE THE TOUGHEST CONDITIONS. Wherever the job takes you, be confident your battery will be up to the challenge. All IMPRES 2 batteries share the same IP68 rating as APX radios, which means they can be fully submersed in two metres of water for up to four hours. Designed with a rugged housing, they're as tough as the radios they charge. And in test after test, IMPRES 2 batteries continually withstand shocks, knocks, drops and shakes, outperforming the competition every time.



#### DO MORE WITHOUT THE BULK.

First responders, public works employees, and other professionals know that shifts aren't getting any shorter. Thankfully, you can keep your people connected even longer. IMPRES 2 batteries deliver higher capacity without an increase in size.

### EXTENDED BATTERY LIFE

#### EXTENDED LIFE. BUILT TO LAST.

You face challenges every day. Battery life shouldn't be one of them. IMPRES 2 batteries, when combined with an IMPRES 2 charger, deliver up to 60% more charging cycles than traditional Lithium Ion batteries, so they're on the job longer. Which means you can stock fewer spares, and replace fewer batteries. IMPRES 2 batteries are compatible with all existing IMPRES chargers, so your upgrade will be a smooth one.

COMPATIBILITY	ACCESSORY			FEATURES							
CHARGER SOLUT and be confident yo	<b>TIONS</b> Choose from a v ur radio is charged and	variety of solutions including single-unit, u ready to go the moment you need it.	nique dual-unit, mu	ılti-unit, travel	and vehicular char	gers					
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETRES) (H x W x D)	NUMBER OF POCKETS	RECONDITIONING CAPABLE	CHARGING CURRENT (MAX.)	NUMBER OF DISPLAYS
SINGLE AND MU	JLTI-UNIT CHARGER	S									
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Single-Unit Fast Charger, (ANZ plug)	NNTN8856	•	Li-lon, NiMH	220-240VAC	60 x 97 x 163	1	•	Fast	
APX 3000 APX 2000	(B)	IMPRES Single-Unit Rapid Rate Charger, 240V ( ANZ plug)	WPLN4256	•	Li-Ion, NiMH	220-240VAC	61 x 97 x 163	1	•	Rapid Rate	
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000		IMPRES Dual-Unit Rapid Rate Charger with 2 Displays, 240V (ANZ plug)	NNTN7596	•	Li-Ion, NiMH	240VAC	64 x 142 x 208	2	•	Rapid Rate	2
APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES 2 Multi-Unit Fast Charger with 6 Displays and 6 Integrated USB Charging Ports, 100-240V	NNTN8839	•	Li-Ion, NiMH	100-240VAC	153 x 445 x 292	6	•	Fast	6
APX 3000 APX 2000	an and	IMPRES 2 Multi-Unit Charger with Display	PMPN4293	•	Li-Ion, NiMH			6	•	Rapid Rate	1
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200	1111 ****	Wall Mount Bracket for IMPRES Multi- Unit Chargers NNTN8839	NLN7967	•							



With IMPRES 2 chargers, you can charge IMPRES 2 batteries up to 40% faster. Customize your charging to extend the life of batteries in storage, and manage power more intelligently with enhanced diagnostics, so you get the most from each battery.

Get a detailed look at performance while your batteries charge. A built-in diagnostic tool, integrated in the multi-unit charger, provides important usage data, such as a battery's ability to hold a charge and its time in service. Use the information to manage your fleet more efficiently, and replace low capacity batteries before it's too late.

### **CHARGE FAST. RESPOND FASTER.**

COMPATIBILITY	ACCESSORY			FEATURES					
		variety of solutions including single-unit, unique dual-unit ready to go the moment you need it.	t, multi-unit, trave	l and vehicula	r chargers				
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	IMPRES	CHEMISTRY	POWER SOURCE	DIMENSIONS (MILLIMETRES) (H x W x D)	NUMBER OF POCKETS	CHARGING CURRENT (MAX.)
VEHICULAR, TRA	AVEL CHARGERS AN	ID VEHICULAR ADAPTER							
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7624	•	Li-Ion, NiMH	12VDC Hardwire	82 x 97 x 200	1	Rapid Rate
APX 3000 APX 2000		IMPRES Single-Unit Rapid Rate Vehicular Charger	NNTN7616	•	Li-Ion, NiMH	12VDC Hardwire	82 x 97 x 200	1	Rapid Rate
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE SRX 2200		Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom Charger Base, Mounting Bracket, and Coil Cord	RLN6434		Li-lon, NiMH	12VDC Cigarette Lighter Adapter	67 x 67 x 70	1	
APX 3000 APX 2000		Travel Charger with Voltage Regulated Vehicular Charger Adapter, Custom Charger Base, Mounting Bracket, and Coil Cord	NNTN8525		Li-Ion, NiMH	12VDC Cigarette Lighter Adapter	64 x 67 x 57	1	
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 6000		APX Vehicular Adapter includes Fused Power Cable, 2 Keys for the Lock, Screws for Attaching Vehicular Adapter to the Trunnion Mounting Bracket & Quick Start Guide. Trunnion mounting bracket NTN8940 ordered separately.	NNTN8527		Li-lon	12VDC Hardwire	254 x 137 x 84	1	Rapid Rate
APX 6000 APX 6000XE SRX 2200		Trunnion Mounting Bracket	NTN8940						



COMPATIBILITY	ACCESSORY		
CHARGER SOLUT	DESCRIPTION		PART NUMBER
	Y MANAGEMENT TOOLS		
		IMPRES Battery Reader	NNTN7392
APX 8000H APX 8000HXE APX 8000	<b></b>	IMPRES Battery Fleet Management Software	https://www.motorolasolutions.com/en_us/products/two- way-radio-accessories/batteries/impres.html
APX 8000XE APX 7000 APX 7000XE APX 6000 APX 6000XE		IMPRES Battery Fleet Management License Key	HKVN4036
APX 3000 APX 2000 SRX 2200		IMPRES Battery Fleet Management Multi-Unit Charger Interface Unit	NNTN7677
	(III	IMPRES Battery Fleet Management Single-Unit Charger Interface Unit	NNTN8045



### HOW DO I KNOW MY BATTERIES WILL LAST AN ENTIRE SHIFT?

With the unique IMPRES Battery Reader and IMPRES Battery Fleet Management systems, you can efficiently manage batteries with real-time data not available from other manufacturers.

These easy-to-use software applications show you if there is enough capacity for a full shift, alert you to low capacity batteries, prevent downtime and eliminate throwing batteries out prematurely.

#### **CARRY SOLUTIONS**

Motorola Carry Solutions were developed to meet the demands of public safety and other users who operate in the most rigorous of environments. A variety of carrying accessories are available for comfort and convenience.




#### **LEATHER CARRY CASES**

Motorola Leather Carry Cases constructed of top-grain leather are designed to withstand the harsh conditions of public safety users.

## **APX PORTABLE RADIO ACCESSORIES**

COMPATIBILITY	ACCESSORY			FEATURES				
		nd holders are available in sizes desig s-free, so you can concentrate on the		o and battery a	nd permit audio	to be heard cl	early.	
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
APX 7000	1	Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN5331	Plastic	3	Fixed		
APX 7000XE		Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN6102	Plastic	3	Fixed		
APX 8000HXE		Carry Holder for 2.5 and 3.5 Model Radios	PMLN7954	Plastic	2.5	Fixed		
APX 8000H APX 8000 APX 6000	L	Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN7901	Plastic	2.5	Fixed		
APX 8000XE APX8000H APX8000XE APX8000 APX 6000XE APX6000		Universal Carry Clip*	PMLN7732	Plastic and nylon bungee cord	2.5	Fixed		
APX 8000HXE APX8000XE APX 6000XE		APX XE-series Carry Clip*	PMLN7989	Plastic	2.5	Fixed		
APX 8000XE APX 6000XE	L	Carry Holder for 1.5, 2.5 and 3.5 Model Radios	PMLN7902	Plastic	2.5	Fixed		
APX 3000	Í.	Covert Carry Holster	PMLN6327	Plastic	3	Fixed		

\* Not compatible with NMN6274 XP RSM or NNTN7624 Vehicular Charger





FEATURES

JMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
5323	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMNN4485 PMNN4486
5326	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034 NNTN8921 PMNN4487 PMNN4494
5329	Hard Leather	3	Fixed	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
5324	Hard Leather	2.75	Swivel	•	NNTN7038 NNTN8092 NNTN8930 PMMN4403 PMNN4485 PMNN4486
5327	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034
5330	Hard Leather	2.75	Swivel	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
5560	Hard Leather	2.75	Swivel	•	NNTN7038 NNTN8092 PMMN4403
6802	Nylon		Swivel		


COMPATIBILITY	ACCESSORY			FEATURES				
<b>CARRY SOLUTIO</b>	INS							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBLE BATTERIES
	T	Leather Carry Case with 3" Fixed Belt Loop	NNTN8112	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 PMMN4403
	Y	Leather Carry Case with 3" Fixed Belt Loop	NNTN8114	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034
	T	Leather Carry Case with 3" Fixed Belt Loop	NNTN8116	Hard Leather	3	Fixed	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
APX 7000XE	1	Leather Carry Case with 2.75" Swivel Belt Loop	NNTN8111	Hard Leather	2.75	Swivel		NNTN7038 NNTN8092 PMMN4403
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8113	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921
	T	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	NNTN8115	Hard Leather	2.75	Swivel	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
	ł	Boston Leather Carry Case with D Rings – Requires an Audio Accessory, Radio strap holds down radio by strapping over the Audio Accessory connector, used with Boston Leather radio straps	AY000222A01	Hard Leather			•	
	*	Leather Carry Case with 3" Fixed Belt Loop	PMLN7903	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 PMMN4403 PMNN4485 PMNN4486 PMNN4547 NNTN8930 (for APX 6000)
	1	Leather Carry Case with 3" Fixed Belt Loop	PMLN5660	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)
APX 8000	-	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN7904	Hard Leather	2.75	Swivel	•	NNTN8092 PMNN4485 PMNN4486 PMNN4547 NNTN8930 (for APX 6000)
APX 6000	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5659	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034 PMNN4487 PMNN4494 NNTN8921 (for APX 6000)

COMPATIBILITY	ACCESSORY							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL / FIXED	D-RINGS	COMPATIBI
	ť	Leather Carry Case with 3" Fixed Belt Loop	PMLN7905	Hard Leather	3	Fixed	•	NNTN7038 NNTN8092 PMMN4403 PMNN4547 PMNN4485 (for APX 6000 PMNN4486 (for APX 6000 NNTN8930 (f APX 6000XE) PMNN4504 (for APX 8000
APX 8000XE	ť	Leather Carry Case with 3" Fixed Belt Loop	PMLN5879	Hard Leather	3	Fixed	•	NNTN7033 NNTN7034 PMNN4487 (for APX 600 PMNN4494 (for APX 600 NNTN8921 (for APX 600 PMNN4505 (for APX 800
APX 6000XE	4	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN7906	Hard Leather	2.75	Swivel	•	NNTN7038 NNTN8092 PMMN4403 PMNN4547 PMNN4485 (for APX 600 NNTN8930 (for APX 600 PMNN4504 (for APX 600 PMNN4504 (for APX 800
	1	Leather Carry Case with D-Rings and 2.75" Swivel Belt Loop	PMLN5877	Hard Leather	2.75	Swivel	•	NNTN7033 NNTN7034 PMNN4487 (for APX 600 PMNN494 (for APX 600 NNTN8921 (for APX 600 PMNN4505 (for APX 800
		Leather Carry Case with 2.5" Swivel Belt Loop	PMLN6085	Hard Leather	2.5	Swivel		
APX 2000		Carry Case for APX 2000 Radios Replacement Belt Loop for PMLN7182	PMLN7182 PMLN7229	Hard Leather	2.5	Swivel	•	
SRX 2200		Nylon, Coyote Brown Carry Pouch designed to fit Elite Special Ops "Molle" Vest (sold separately)	NNTN8269	Nylon	Up to 5	Fixed		
		Coyote Brown Carry Case	RLN6253	Nylon	Up to 5	Fixed		

COMPATIBILITY	ACCESSORY			FEATURES				
CARRY SOLUTION	IS							
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL	BELT LOOP/CLIP DIMENSION (INCHES)	SWIVEL/ Fixed	D-RINGS	COMPATIBLE BATTERIES
	1	Nylon Carry Case with 3" Fixed Belt Loop	PMLN5322	Nylon	3	Fixed	•	NNTN7038 PMMN4403 NNTN8092
APX 7000	Ĩ	Nylon Carry Case with 3" Fixed Belt Loop	PMLN5325	Nylon	3	Fixed	•	NNTN7033 NNTN7034
	t	Nylon Carry Case with 3" Fixed Belt Loop	PMLN5328	Nylon	3	Fixed	•	NNTN7035 NNTN7036 NNTN7037 NNTN7573
APX 8000 APX 7000		Carry Case for APX Radio with Clamshell Battery	PMLN6712	Nylon	Up to 5	Fixed	•	
APX 8000H	L	2.5" Hard Plastic Belt Clip (not compatible with APX 7000 UHF Radios)	NTN8266	Plastic	2.5			
APX 8000HXE APX 8000	F	3" Hard Plastic Belt Clip	HLN6875	Plastic	3			
APX 8000XE APX 7000	M	Universal Chest Pack with Radio Holder, Pen Holder and Velcro Secured Pouch	HLN6602	Nylon				
APX 7000XE APX 6000	A	Break-a-Way Chest Pack with Radio Holder Pen Holder and Velcro Secured Pouch	RLN4570	Nylon				
APX 6000XE		Replacement Strap for HLN6602 and RLN4570	1505596Z02	Nylon				

COMPATIBILITY	ACCESSORY			FEATURES
CARRY SOLUTIO	INS			
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	MATERIAL
APX 7000		Replacement 2.5" Leather Swivel Belt Loop	PMLN5407	Hard Leather
APX 7000 APX 7000XE APX 6000 APX 6000XE		Replacement 2.75" Leather Swivel Belt Loop	PMLN5408	Hard Leather
APX 2000		Replacement 3" Leather Swivel Belt Loop	PMLN5409	Hard Leather
APX 7000XE		Replacement Carry Case Strap with Snaps, Long. Used with NNTN8111, NNTN8112, NNTN8113, NNTN8114, NNTN8115 and NNTN8116	PMLN5800	Leather
APX 8000 APX 8000XE APX 7000 APX 7000XE		1.75" Wide Leather Belt	4200865599	Leather
APX 6000 APX 6000XE APX 2000 SRX 2200	5	Adjustable Nylon Carrying Strap	NTN5243	Nylon
		Boston Leather Fireman's Radio Strap	RLN6486	Leather
APX 8000 APX 8000XE APX 7000		Boston Leather Fireman's Radio Strap - XL	RLN6487	Leather
APX 7000XE APX 6000 APX 6000XE		Boston Leather Fireman's Radio Strap with button back holder	AY000223A01	Leather
APX 3000 APX 2000 SRX 2200		Boston Leather Fireman's Radio Strap with button back holder - XL	AY000229A01	Leather
	010	Boston Leather Anti-Sway Strap for Boston Leather Fireman's Radio Strap	RLN6488	Leather

COMPATIBILITY	ACCESSORY			FEATURES					
ANTENNAS									
PORTABLE RADIOS	DESCRIPTION		PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC- CAPABLE <sup>†</sup>
APX 7000 APX 7000XE APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200		700/800 MHz, GPS Whip Antenna	NAF5085	700/800	764-870	•	20	Whip	UL
		UHF, GPS Whip Antenna	PMAE4065	UHF	380-520	•	14.2	Whip	UL
APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200		VHF, GPS Whip Antenna	NAR6593	VHF	136-174	•	20	Whip	UL
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 6000 APX 6000XE APX 2000	/	1/4 Wave, 700/800 MHz, GPS Stubby Antenna	NAR6595	700/800	764-870	•	9.8	Stubby	UL
APX 8000H APX 8000HXE APX 8000 APX 8000XE		VHF, 700/800, UHF Range 1, UHF Range 2 GPS	KT000026A01	VHF UHF 700/800		•	20	Whip	UL
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000		VHF, 700/800 MHz Dual Band, GPS Whip Antenna	NAR6594	VHF 700/800	136-174 764-870	•	20	Whip	UL
	/	VHF, UHF Dual Band, GPS Whip Antenna	PMAT4001	VHF UHF	136-174 380-520	•	21.8	Whip	UL
APX 7000XE		UHF 700/800 MHz Dual Band, GPS Whip Antenna	PMAS4001	UHF 700/800	380-520 764-870	٠	19.7	Whip	UL



† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

† HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.

	FEATURES					
PART NUMBER	UHF / VHF / 700/800 MHz	FREQUENCY BAND (MHz)	INTEGRATED GPS	LENGTH (CM)	TYPE	HAZLOC- CAPABLE <sup>†</sup>
FAF5259	UHF	380-470	•	9.3	Stubby	UL
FAF5260	UHF	470-520	•	9.3	Stubby	UL
PMAF4006	700/800	764-870	•	41	Flexible	
PMAE4080	UHF	308-470	•	77	Flexible	
PMAD4125	VHF	136-174		44	Flexible	

COMPATIBILITY	ACCESSORY		
PROGRAMMING	CABLES		
PORTABLE RADIOS	DESCRIPTION		PART NUMBER
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE	Q	USB Programming and Test Cable	PMKN4013
APX 7000XE APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200	Q	USB Programming Cable	PMKN4012
KEYLOAD CABLE	S		
APX 8000H APX 8000HXE APX 8000 APX 8000XE APX 7000 APX 7000XE		Radio Authentication Cable	WPLN6905
APX 7000AE APX 6000 APX 6000XE APX 3000 APX 2000 SRX 2200		Keyloading Cable	WPLN6904

+ HazLoc Details: For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable.



## **APX MOBILE RADIOS ACCESSORIES**

### **COMMUNICATE SAFELY AND EASILY WHEREVER YOU GO**

You count on your mobile radio to function clearly and easily so you can concentrate on the mission and communicate safely.

Get the most out of your APX radio by extending its power and reliability with APX accessories. Every mobile microphone, speaker, alarm and control station accessory is best-in-class technology, designed and optimized specifically for your APX mobile. There's simply no substitute for APX accessories.



APX 8500 WITH **03 CONTROL HEAD** 



APX 7500 WITH **07 CONTROL HEAD** 



APX 2500 WITH **02 CONTROL HEAD** 

**APX 6500 WITH 05 CONTROL HEAD** 

ONG RANGE	WIRELESS get ready in seco comfortable in demanding er	onds without having to worry about the wires getting in the way. No more getting tangled with your sea wironments.	atbelt. Work, safer,
IOBILE RADIOS	DESCRIPTION		PART NUMBER
APX 8500 APX 7500		Long Range Wireless Mobile Accessory Kit, includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097), Vehicular Charger (PMMN6716)	MDRLN6551B-AU
APX 6500 APX 2500	<b>I</b>	Long Range Wireless Mobile Accessory Kit (No Power Charger), includes Wireless Remote Speaker Microphone (RLN6544), Mobile Microphone Bluetooth Gateway (PMMN4097), Charger must be purchased separately	RLN6552
ACCESSORIES	AND REPLACEMENT PA	RTS	
	-	Dual Unit Charger, Rapid Rate Charger, 240V	PMLN7124
		Vehicular Charger	PMLN6716
		Wireless RSM with Battery and Clip	RLN6544
	P	Mobile Microphone with Bluetooth Gateway	PMMN4097
APX 8500	۲	Wireless RSM Battery, 1750 mA Li-Ion	PMNN4461
APX 7500 APX 6500 APX 2500		D Ring Swivel Clip (12 pack)	NNTN4990
	<u>ا ا</u>	Receive-Only Earpiece with Comfort Eartube, FM and UL approved <sup>†</sup>	RLN4941
		Receive-Only Earpiece with Comfort Eartube	PMLN7560
	V	Receive-Only Earbud, FM and UL approved	AARLN4885
	(~ P)	EP7 Sonic Defender, use with RLN4941	RLN6511 RLN6512 RLN6513



### LONG RANGE WIRELESS REMOTE SPEAKER MICROPHONE (RSM)

The Long Range Wireless Remote Speaker Microphone (RSM) pairs instantly with touch pairing to the mobile microphone with Bluetooth gateway. The Long Range Wireless RSM works up to 100 metres away line-of-sight from the mobile radio, keeping you in communication where you never thought possible. Plug and play – Just attach the mobile gateway microphone to your radio, align the two devices where indicated by the blue dot and you are ready to go. Voice prompts will walk you through pairing quickly.

COMPATIBILITY	ACCESSORY			FEATURES	
		irectly on the Keypad microphone. Navigation grammable buttons are available for addition		keypad allow users to navigate radi	o menus, dial phone
MOBILE RADIOS	DESCRIPTION		PART NUMBER	MICROPHONE STYLE	IMPRES
APX 8500 APX 7500	ig.	Water Resistant Palm Microphone for Motorcycle Mounted Mobiles	HMN1079	Standard	
	C	Keypad Microphone	HMN4079	Keypad + Navigation	
	Go	Standard Palm Microphone	HMN1090	Standard	
	6	Water Resistant Palm Microphone	HMN1089	Standard	
APX 8500 APX 7500	1	Telephone Keypad Handset with Hang-Up Cup	HMN4097	Telephone + Keypad	
APX 6500 APX 2500	7	Hang-Up Handset with Armored Cable	HKN1018	Telephone	
	2	Handset with Hang-Up Cup	HLN1457	Telephone	
	4	Desktop Microphone	RMN5070	Desktop	
	0	IMPRES Visor Microphone, requires PTT Switch GLN7278 or RLN5926	RMN5054	Visor	•



#### IMPRES AUDIO ACCESSORIES

Mission critical voice transmissions have to be heard over engine, siren, road and wind noise. Fortunately, Motorola's exclusive IMPRES audio accessories are designed to optimize its output based on the accessory in use. IMPRES Visor Microphones are able to pick up and transmit the user's voice consistently to the receiving user regardless of how close they are speaking into the microphone.

COMPATIBILITY	ACCESSORY	
<b>MOBILE MICROP</b>	HONE ACCESSORIES	;
MOBILE RADIOS	DESCRIPTION	
	P.	Microphone Hang-Up Clip
		Microphone Extension Cable, 2-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad
	k	Microphone Extension Cable, 10-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad
APX 8500		Microphone Extension Cable, 20-Feet. Not compatible with HMN4097 handset or HMN4079 Keypad
APX 7500 APX 6500		Emergency Push Button, can be used with the Visor Microphone
APX 2500	<b></b>	Emergency Footswitch, can be used with the Visor Microphone
	Ô	Footswitch Push-To-Talk, can be used with the Visor Microphone
	ß	Push Button Push-To-Talk, can be used with the Visor Microphone
		Replacement Cable for HMN4079
CONTROL STATIO	ON ACCESSORIES	
ADV 9500		Power Supply for APX 8500 Mid Power Mobile Radio. Requires AC cable
APX 8500	99	Australia AC cable for KT000254A01 power supply
APX 7500 APX 6500 APX 2500		Power Supply for APX Mid Power Mobile Radios
APX 8500 APX 7500 APX 6500 APX 2500		Desktop Tray with Speaker

#### PART NUMBER

HLN5391

PMKN4093

PMKN4033

PMKN4034

HLN5131

HLN5113

GLN7278

RLN5926

3075336B10

KT000254A01

30009452002

APN6153

HLN6042



#### COMPATIBILITY ACCESSORY

INSTALLATION AND MOUNTING ACCESSORIES Mount your radio in your vehicle without compromising safety. Trunnion kits give you the flexibility to mount your radio in your vehicle without between the seats or on the floor. Remote mount kits allow the radio to be mounted in the boot when dash space is limited.

MOBILE RADIOS	DESCRIPTION		PART NUMBER
		Mid Power Trunnion Kit; Standard Installation Bracket	HLN7002
APX 8500		Mid Power Trunnion Lock	HLN6372
APX 7500 APX 6500	)	Remote Mount Control Head Trunnion Compatible with 02, 05 and 07 control heads	HKN6186
APX 2500	1 and 1	Low Profile Remote Mount Control Head Trunnion Kit	HLN7031
		Motorcycle Enclosure, Black	HLN7022

COMPATIBIL	ITY	ACCESSORY				
	<b>EXTERNAL ALARM ACCESSORIES</b> External alarm accessories enable additional switching power when external accessories are attached.					
MOBILE RADIO	s	DESCRIPTION		PART NUMBER		
APX 8500 APX 7500 APX 6500 APX 2500			External Alarm Relays	HLN6969		

6	
5	P
	Contraction of the second seco
	A DOWN

COMPATIBILITY	ACCESSORY	
SPEAKERS Boost	audio at your control stat	tion on your desk or in your vehicle with ext
MOBILE RADIOS	DESCRIPTION	
		Remote Mount, Water Resistant Speaker, 7.5 Watt Rated Audio
		Remote Mount Speaker, 7.5 Watt Rated Audio
	•	Remote Mount, Water Resistant Speaker, 15 Watt Rated Audio
APX 8500 APX 7500 APX 6500		Non-Water Resistant Speaker, 13 Watt Rated Audio
	100	Covert 10 Watt Rated Audio Speaker
APX 2500	-	Siren Speaker, Round with Chrome Finish
	<b>S</b>	Siren Speaker, Rectangular with White Finish
	5	Siren Speaker, Round with Grey Finish
	() P	Siren Speaker, Under Hood with Grey Finish

COMPATIBILITY	ACCESSORY					
UNIVERSAL RELAY CONTROLLER						
MOBILE RADIOS	DESCRIPTION					
APX 8500 APX 7500 APX 6500	1	Universal Relay Controller for O9 Control Head, 10 DC Outputs, 15 Amps per Channel				
APX 2500		Universal Relay Controller to Transceiver Cable				

exter	nal speakers. PART NUMBER
er,	HSN4038
d	HSN4031
er,	HSN4040
	HSN4032
	HSN4042
sh	TDN6251
	TDN6252
	TDN6254
	TDN6253

PART NUMBER


PMUN1046

3064153H05



COMPATIBILITY	ACCESSORY		
MOBILE SIREN			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
		Siren	DDN1542
APX 8500 APX 7500		Siren Install Hardware	DDN1543
APX 6500 APX 2500		Siren to Radio Cable	DDN1883
		O3 Siren to DEK Cable	DDN1545

COMPATIBILITY	ACCESSORY					
SIREN ACCESSORIES						
MOBILE RADIOS	DESCRIPTION		PART NUMBER			
	THE P	Siren Switchbox	HLN6819			
		Wire Harness for Siren Switchbox. Needed to connect HLN6819 to DDN1774	DDN1886			
APX 8500 APX 7500	Annanan	Mode Direct Entry Keypad, 8-Buttons	H1835			
APX 6500 APX 2500	<b>O</b>	Siren Cable, 03 Siren to Switchbox	HKN6146			
		Siren Cable, 05 Siren to Switchbox	HKN4363			
	Ø	Siren Cable, Direct Keypad for O3 Control Head	HKN6145			



COMPATIBILITY	ACCESSORY	
CABLES		
MOBILE RADIOS	DESCRIPTION	
CONTROL HEAD	CABLES	
	O	O3 Handheld Control Head Extension Cable, 5 metres
		O3 Handheld Control Head Extension Cable, 3 metres
APX 8500 APX 7500	O.	03 Handheld Control Head Accessory Cable
14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and the second second	Diskt such a CAN fluits of such to formals
APX 6500		Right-angled CAN fly lead, male to female, 20cm
APX 2500	Ç,	Control Head Cable with Connections for Power, Speaker and Headset Jack
	Ó	Control Head Cable with Connections for Power and Speaker
REMOTE MOUN	T CABLES	
		Remote Mount Cable, 40 metres
		Remote Mount Cable, 35 metres
APX 8500	$\cap$	Remote Mount Cable, 23 metres
APX 7500		Remote Mount Cable, 15 metres
		Remote Mount Cable, 9 metres
APX 6500		Remote Mount Cable, 5 metres
APX 2500		Remote Mount Cable, 3 metres
APX 1500	$\cap$	Cable, Remote Control Head Vehicular Interface Port Connector for 02/05/07 Control Head
		Cable, Remote Control Head Mobile Accessory Port Connector for 02/05/07 Control Head
APX 8500 APX 7500	Q	Motorcycle Remote Cable for 02/05/07 Control Head
KEYLOAD CABLE	S	
APX 8500	$\sim$	Keyloading Cable.
APX 7500		Requires HKN6182 adapter
APX 6500		
APX 2500		Keyload Adapter for Mobile Microphone Port. Requires TKN8531 cable

#### PART NUMBER

#### PMLN4958

HKN6234

PMLN4959

<sup>,</sup> HKN6228

HKN6187

HKN6188

HKN6164 HKN6165 HKN6166 HKN6167 HKN6168

HKN6169

HKN6170

HKN6196

HKN6961

3075217A02


TKN8531

HKN6182






COMPATIBILITY	ACCESSORY		
CABLES			
MOBILE RADIOS	DESCRIPTION		PART NUMBER
POWER CABLES			
	- 0,	Mid Power, Dash Mount Power Cable, 10-Feet	HKN4191
APX 8500 APX 7500	0	Mid Power, Remote Mount Power Cable, 20-Feet	HKN4192
	~		
APX 6500 APX 2500	•	Mid Power, Rear Ignition Cable, Dash Mount	HLN6863
	$\mathbf{O}$	Motorcycle Power Cable	HKN6032
DATA CABLES			
APX 8500		Data Cable connects APX 8500 to Siren and DVRS MSU support with J600 port adapter	CB000409A01
APX 8500 APX 7500 APX 6500 APX 2500	+ # F	Data Tethering Cable, required to connect to VML or certified data modem	KT000252A01
		RS232 Cable for Rear Accessory Port, Dash Mount Only, 2 metres	HKN6160
APX 8500		RS232 Cable for Rear Accessory Port, Remote Mount Only, 6 meters	HKN6161
APX 7500 APX 6500	0	RS232 Cable for Mobile Microphone Port	HKN6183
APX 2500	O	RS232 Cable for J600 Transceiver Interconnect Board, 7 meters	HKN6122
ROGRAMMING	CABLES		
APX 8500 APX 7500	ab	USB Cable, Rear Accessory Port, Remote Mount, 4.5 metres (for use with customer programming software)	HKN6172
APX 6500 APX 2500		USB Cable, Rear Accessory Port, Dash Mount, 2 metres (for use with customer programming software)	HKN6163
APX 8500 APX 7500 APX 6500	0	USB Programming Cable, GCAI Port	HKN6184






COMPATIBILITY	ACCESSORY			
APX 8500 ANTENNA MULTIPLEXERS AND ADAPTERS				
MOBILE RADIOS	DESCRIPTION			
		Multiplexer		
APX 8500		Mini U To QMA Adapter 5cm		
0008 818		QMA to QMA Adapter 5cm		
		SMA to QMA Adapter 5cm		



COMPATIBILITY	ACCESSORY		FEATURES	_	
ANTENNAS Mobile radios	DESCRIPTION	PART NUMBER	GPS/WI-FI	FREQUENCY BAND (MHz)	MOUNTING STYLE
GPS / WI-FI ANTE	NAS				
APX 7500 APX 6500 APX 2500	GPS Roof Mount Antenna SMA Male connector with RG-174 17ft cable	HAG4000	GPS Only		Roof Mount
	GPS Glass Mount Antenna SMA Male connector with RG-174 17ft cable	PMAN4001	GPS Only		Glass Mount
APX 8500	Covert glass-mount antenna with Wi-Fi 5GHz	PMAN5101	Wi-Fi Only		Glass Mount
	Covert glass-mount antenna with GPS GNSS	PMAN4109	GPS Only		Glass Mount
	Wi-Fi/GPS Combination Vehicle Antenna	AN000163A01	GPS Wi-Fi		Through-hole
	Wi-Fi/GPS Combination Motorcycle Antenna	AN000163A02	GPS Wi-Fi		Motorcycle
APX 7500	GPS Motorcycle Antenna	HAG4001	GPS Only		Motorcycle
APX 7500	Wi-Fi/GPS Combination Motorcycle Antenna	AN000163A02	Wi-Fi GPS Wi-Fi		Motoro

\*CB000091A03 - Mini-U to QMA adapter required for APX 8500 to antenna connection.



## **GLOSSARY**

#### HAZLOC-CAPABLE

For more information on which accessories are approved by Factory Mutual (FM) or Underwriters' Laboratory (UL) with certain APX models, please consult the manual provided with each FM- or UL-approved APX portable. Motorola-approved accessories are a critical part of the overall radio system intrinsic safety certification. Non-Motorola approved accessories may not be certified for APX and if used, could result in equipment that is NOT approved and unsafe in a hazardous environment.

#### **IP RATING**

International Protection (IP) is a global standard for rating dust and water protection. The first digit IP5x or IP6x represents increased levels of dust protection. The second digit, IPx7 or IPx8 represents increased levels of water protection.

**IPx7** represents withstanding submersion in 1 metre of fresh water for 30 minutes.

**IPx8** represents heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 1 metre for another 2 hours.

#### IPx8+Rugged represents exceeding

industry specs by heating accessory to 27°C higher than the water temperature for 2 hours then immediately immersing it to a depth of 2 metres for another 4 hours.

#### MICROPHONE NOISE SUPPRESSION

Multi Mic Noise Suppression: Five integrated microphones and Adaptive Audio Engine automatically change the level of noise suppression, microphone gain, Windporting and speaker equalization to produce clear and loud audio in any environment.

**Dual Mic Noise Suppression:** Dualmicrophone design tracks your voice so that you can keep your eye on what's in front of you while speaking. A digital signal processor (DSP) algorithm helps suppress background noise so you can be heard clearly regardless of the noise around you.

#### Windporting (Motorola Exclusive):

Windporting reduces the effect of wind and other outdoor noises on your microphone performance and prevents water from clogging the microphone and distorting your transmission.

**Noise-cancelling** microphones negate crowd or machinery noise so your voice comes through loud and clear anytime you speak directly into the microphone.

#### SWIVEL OR FIXED LOOP

Secure to a belt loop and the case swings freely from side to side. The swivel latch system also allows the radio and case to be removed from the belt loop by simply inverting, lifting it up and out of the belt loop. Fixed loops provide a sturdy attachment to your belt.





For more information on Motorola mission critical accessories visit: https://www.motorolasolutions.com/en\_xa/products/p25-products/apx-story.html or to purchase accessories online visit: https://shop.motorolasolutions.com.au



Motorola Solutions Australia Pty Ltd. motorolasolutions.com.au

MOTOROLA, MOTO, MOTOROLA SOLUTIONS and the Stylized M Logo are trademarks or registered trademarks of Motorola Trademark Holdings, LLC and are used under license. All other trademarks are the property of their respective owners. © 2019 Motorola Solutions, Inc. All rights reserved. BTB/MA823\_APX\_Accessories\_04/19